

BIOMEDICAL RESEARCH AND INNOVATION CENTER [BRIC-MIST] MILITARY INSTITUTE OF SCIENCE AND TECHNOLOGY

Mirpur Cantonment Dhaka- 1216, Bangladesh,

EXCHANGE: 8031111, FAX: 88-02-9011311, Website: www.mist.ac.bd , E-mail: bric.bme@bme.mist.ac.bd

Sample Test Report

Page 1 of 3

Lab Name	Report Delivery Date
Biochemistry Lab, BME Dept., MIST	26 October 2024
Leeings Bd	Test Performance Date
	24 October 2024
Biprodab Mogumdar	Sample Receiving Date
Researcher	17 October 2024
Department of Applied Chemistry and Chemical Engineering (ACCE), BSMRSTU,	
Bangladesh	
Phone: +8801804193985, E-mail: biprodabbsmrstu@gmail.c	com
Liquid Sample	Manager and the second
Ginger oil, Onion oil, Clove oil, cardamom oil, Lemon Fragr	rance, Dimefluthrin, Water
MSQ-1	-3-1
	Biochemistry Lab, BME Dept., MIST Leeings Bd Biprodab Mogumdar Researcher Department of Applied Chemistry and Chemical Engineering Bangladesh Phone: +8801804193985, E-mail: biprodabbsmrstu@gmail.c Liquid Sample Ginger oil, Onion oil, Clove oil, cardamom oil, Lemon Frage

S/N	Test Type	Method/Instrument	Compounds	Rmks
01	Chemical Compound	FTIR	Dimefluthrin	and the same
	Analysis	THE RESERVE OF THE PERSON OF T	1,8- cineole	The same of the sa
	Annual An		Eugenol	4.4
			Flavonoids	
			Gingerols	
			Zingerone	

Test Conducted by:

Md. Tobibul Islam
Lecturer
Dept of Biomedical Engineering
Nikary Institute of Science and Technology (MIST)
Mirpur Cantonment, Dhaka-1216

Test Supervised by:

Lt Col Md Maruf Hasan, PhD Secretary, CATS-MIST (BME)

BME Dept, MIST

Countersigned by:

Colonel Mohummad Shariful Islam, psc Director, CATS-MIST (BME) BME Dept, MIST

Note:

- a. The result reported here pertains only to the sample received in the laboratory.
- b. The precision & accuracy are defined only for the laboratory process.
- c. The result should not be reproduced partly or fully without prior approval of the laboratory.



BIOMEDICAL RESEARCH AND INNOVATION CENTER [BRIC-MIST] MILITARY INSTITUTE OF SCIENCE AND TECHNOLOGY

Mirpur Cantonment Dhaka- 1216, Bangladesh, EXCHANGE: 8031111, FAX: 88-02-9011311, Website: www.mist.ac.bd, E-mail: bric.bme@bme.mist.ac.bd

Sample Test Analysis

Page 2 of 3




Table 1: Analysis of the peak location and shape of the IR bands of the main chemical functional groups of the test sample from FTIR spectra curve

S/N	Peak Wavenumber	Functional group	Compounds
1.	1500-1600 cm ⁻¹	C=C Stretching (Aromatic Ring)	Dimefluthrin
	1000-1300 cm ⁻¹	C-O Stretching (Ester Group)	and the second s
All the same of th	1350-1470 cm ⁻¹	C-H Bending (Aliphatic and Aromatic)	and the same of th
1800	700-900 cm ⁻¹	C-H Bending (Aromatic Ring)	And the same of th
2.	1350-1470 cm ⁻¹	C-H Bending (Aliphatic)	1,8- cineole
	1000-1150 cm ⁻¹	C-O-C Stretching (Ether)	The state of the s
The same of	950-1200 cm ⁻¹	C-C Stretching (Cyclic Ring)	production of the same of the
3.	3200-3600 cm ⁻¹	O-H Stretching (Phenolic Group)	Eugenol
	1450-1600 cm ⁻¹	C=C Stretching (Aromatic Ring)	The state of the s
	1200-1300 cm ⁻¹	C-O Stretching (Phenolic Group)	The state of the s
4.	1620-1720 cm ⁻¹	C=O Stretching (Carbonyl Group)	Flavonoids
	1350-1470 cm ⁻¹	C-H Bending (Aromatic and Aliphatic)	
	1100-1200 cm ⁻¹	C-O-C ether bonds.	1
	1000-1300 cm ⁻¹	C-O Stretching (Phenolic or Ether Groups)	

Note:

- a. The result reported here pertains only to the sample received in the laboratory.
- b. The precision & accuracy are defined only for the laboratory process.
- c. The result should not be reproduced partly or fully without prior approval of the laboratory.



BIOMEDICAL RESEARCH AND INNOVATION CENTER [BRIC-MIST] MILITARY INSTITUTE OF SCIENCE AND TECHNOLOGY


Mirpur Cantonment Dhaka- 1216, Bangladesh,

EXCHANGE: 8031111, FAX: 88-02-9011311, Website: www.mist.ac.bd , E-mail: bric.bme@bme.mist.ac.bd

Sample Test Analysis

Page 3 of 3

5.	3200-3600 cm ⁻¹	O-H Stretching (Hydroxyl Groups)	Gingerols
	Aromatic: 3000–3100 cm ⁻¹ Aliphatic: 2800–3000 cm ⁻¹	C-H Stretching (Aromatic and Aliphatic)	
	1650-1750 cm ⁻¹	C=O Stretching (Carbonyl Group)	
	1000-1300 cm ⁻¹	C-O Stretching (Phenolic and Ether Groups)	
6.	3200-3600 cm ⁻¹	O-H Stretching (Hydroxyl Group)	Zingerone
	1650-1750 cm ⁻¹	C=O Stretching (Ketone Group)	
	1350-1470 cm ⁻¹	C-H Bending (Aromatic and Aliphatic)	



Note:

- a. The result reported here pertains only to the sample received in the laboratory.
- b. The precision & accuracy are defined only for the laboratory process.
- c. The result should not be reproduced partly or fully without prior approval of the laboratory.