



**BIOMEDICAL RESEARCH AND INNOVATION CENTER [BRIC-MIST]
MILITARY INSTITUTE OF SCIENCE AND TECHNOLOGY**

Mirpur Cantonment Dhaka- 1216, Bangladesh,
EXCHANGE: 8031111, FAX: 88-02-9011311, Website: www.mist.ac.bd , E-mail: bric@bme.mist.ac.bd


Sample Test Report

Page 1 of 3


Serial No BME-00101	Lab Name Biochemistry Lab, BME Dept., MIST	Report Delivery Date 26 October 2024
Name of the Client	Leeings BD	Test Performance Date 24 October 2024
Contact Person (Name & Designation)	Biprodab Mogumdar Researcher	Sample Receiving Date 17 October 2024
Address of the Clients (Including Tel, Fax, Email)	Department of Applied Chemistry and Chemical Engineering (ACCE), BSMRSTU, Bangladesh Phone: +8801804193985, E-mail: biprodabbsmrstu@gmail.com	
Product	Liquid Sample	
Product Description (composition)	Ginger oil, Onion oil, Clove oil, cardamom oil, Lemon Fragrance, Chrysanthemum, Water	
User Sample ID	MSQ-1	

S/N	Test Type	Method/ Instrument	Compounds	Rmks
01	Chemical Compound Analysis	FTIR	1,8- cineole	
			Eugenol	
			Flavonoids	
			Chrysanthemum	
			Gingerols	
			Zingerone	


Test Conducted by:
Md. Tobibul Islam
Lecturer
Dept of Biomedical Engineering
Military Institute of Science and Technology (MIST)
Mirpur Cantonment, Dhaka-1216


Test Supervised by:
Lt Col Md Marul Hasan, PhD
Secretary, CATS-MIST (BME)
BME Dept, MIST




Countersigned by:

Colonel Mohammad Shariful Islam, psc
Director, CATS-MIST (BME)
BME Dept, MIST

Note:

- The result reported here pertains only to the sample received in the laboratory.
- The precision & accuracy are defined only for the laboratory process.
- The result should not be reproduced partly or fully without prior approval of the laboratory.




Figure 1: FTIR spectra curve

Table 1: Analysis of the peak location and shape of the IR bands of the main chemical functional groups of the test sample from FTIR spectra curve

S/N	Peak Wavenumber	Functional group	Compounds
1.	1500–1600 cm ⁻¹	C=C Stretching (Aromatic Ring)	Chrysanthemum
	1000–1300 cm ⁻¹	C-O Stretching (Ester Group)	
	1350–1470 cm ⁻¹	C-H Bending (Aliphatic and Aromatic)	
	700–900 cm ⁻¹	C-H Bending (Aromatic Ring)	
2.	1350–1470 cm ⁻¹	C-H Bending (Aliphatic)	1,8- cineole
	1000–1150 cm ⁻¹	C-O-C Stretching (Ether)	
	950–1200 cm ⁻¹	C-C Stretching (Cyclic Ring)	
3.	3200–3600 cm ⁻¹	O-H Stretching (Phenolic Group)	Eugenol
	1450–1600 cm ⁻¹	C=C Stretching (Aromatic Ring)	
	1200–1300 cm ⁻¹	C-O Stretching (Phenolic Group)	
4.	1620–1720 cm ⁻¹	C=O Stretching (Carbonyl Group)	Flavonoids
	1350–1470 cm ⁻¹	C-H Bending (Aromatic and Aliphatic)	
	1100–1200 cm ⁻¹	C-O-C ether bonds.	
	1000–1300 cm ⁻¹	C-O Stretching (Phenolic or Ether Groups)	

Note:

- The result reported here pertains only to the sample received in the laboratory.
- The precision & accuracy are defined only for the laboratory process.
- The result should not be reproduced partly or fully without prior approval of the laboratory.



**BIOMEDICAL RESEARCH AND INNOVATION CENTER [BRIC-MIST]
MILITARY INSTITUTE OF SCIENCE AND TECHNOLOGY**

Mirpur Cantonment Dhaka- 1216, Bangladesh,

EXCHANGE: 8031111, FAX: 88-02-9011311, Website: www.mist.ac.bd, E-mail: bric@bme.mist.ac.bd

Sample Test Analysis

Page 3 of 3

5.	3200–3600 cm^{-1}	O-H Stretching (Hydroxyl Groups)	Gingerols
	Aromatic: 3000–3100 cm^{-1} Aliphatic: 2800–3000 cm^{-1}	C-H Stretching (Aromatic and Aliphatic)	
	1650–1750 cm^{-1}	C=O Stretching (Carbonyl Group)	
	1000–1300 cm^{-1}	C-O Stretching (Phenolic and Ether Groups)	
6.	3200–3600 cm^{-1}	O-H Stretching (Hydroxyl Group)	Zingerone
	1650–1750 cm^{-1}	C=O Stretching (Ketone Group)	
	1350–1470 cm^{-1}	C-H Bending (Aromatic and Aliphatic)	



Note:

- The result reported here pertains only to the sample received in the laboratory.
- The precision & accuracy are defined only for the laboratory process.
- The result should not be reproduced partly or fully without prior approval of the laboratory.